

# Roma

## Evolution collection



**RM-6024128**




**RM-709737**



**RM-737739**



**RM-7514121**



**RM-602751**




**RM-250602**




**RM-631730**




**RM-602739**




**RM-619602**




**RM-724602**




**RM-137602**



**RM-137649**



**RM-6194118**




**RM-619751**




**RM-724739**




**RM-137739**



**RM-132105**



**RM-1054126**



**RM-105200**



**RM-649105**



**RM-751105**



**RM-105733**



**RM-1054124**




**RM-751200**




# Roma


## Evolution collection




**RM-619976**




**RM-6194138**




**RM-200933**




**RM-200714**




**RM-132933**




**RM-1324125**



**RM-1324119**



**RM-132176**




**RM-200751**




**RM-7514126**




**RM-7374126**




**RM-7094126**




**RM-976602**




**RM-9764118**




**RM-976737**



**RM-709976**




**RM-709933**




**RM-2004110**




**RM-709714**



**RM-737714**



**RM-414730**



**RM-30034128**



**RM-4174148**




**RM-4974156**




# Roma


Evolution collection



**RM-751497**




**RM-657619**



**RM-6194136**



**RM-7514136**




**RM-602808**




**RM-834602**




**RM-834649**




**RM-8344128**




**RM-6024119**




**RM-657730**




**RM-657250**




**RM-649657**




**RM-5014126**



**RM-501497**



**RM-657501**



**RM-4974136**



**RM-7374125**

## Technical specifications

Composition	Solution dyed Olefin
Weight	300 g/m <sup>2</sup>
Fabric width	160 cm
Roll length	40 m
Finish	Water repellent
Color fastness to light	>7 (max 8) 2.500 Grade 4/5 (max 5)
Color fastness to rubbing	4-5 (max 5)
Color fastness to swimming pool water	5 (max 5)
Spray test	5 (max 5)

## Most used sectors

Cushions&Upholstery, Marine

## Care instructions & Recommendations for Teksilk® durability:

- Let it air dry
- Store it protected from inclement weather
- Do not place next to reflecting surfaces or heating elements

