

# Montserrat FR

Evolution collection



**MT FR-101**



**MT FR-102**



**MT FR-103**




**MT FR-104**




**MT FR-105**



**MT FR-106**




**MT FR-107**




**MT FR-108**




**MT FR-109**




**MT FR-110**




**MT FR-111**




**MT FR-112**



**MT FR-113**



**MT FR-114**



**MT FR-115**




**MT FR-116**




**MT FR-117**




**MT FR-118**




**MT FR-119**



**MT FR-120**



**MT FR-121**



**MT FR-122**



**MT FR-123**




**MT FR-124**




# Montserrat FR


Evolution collection




**MT FR-125**



**MT FR-126**




**MT FR-127**




**MT FR-128**



**MT FR-129**



**MT FR-130**



**MT FR-132**

## Technical specifications

Composition	Solution dyed Olefin
Weight	400 g/m <sup>2</sup>
Fabric width	160 cm
Roll lenght	25 m
Finish	Water repellent (Fluor free, PFAS free)
Color fastness to light	>7 (max 8) 2.500 Grade 4/5 (max 5)
Color fastness to rubbing	4-5 (max 5)
Flame retardant test	BS 5852 0,1

## Most used sectors

Cushions&Upholstery, Marine

## Care instructions & Recommendations for Texsilk® durability:

- Let it air dry
- Store it protected from inclement weather
- Do not place next to reflecting surfaces or heating elements

